

EC type examination certificate**EG-Baumusterprüfbescheinigung****CE-0085DL0336**Product Identification No.
Produkt-Identnummer

Field of Application <i>Anwendungsbereich</i>	EC Efficiency Directive (92/42/EEC) <i>EG-Wirkungsgradrichtlinie (92/42/EWG)</i>
Owner of Certificate <i>Zertifikatinhaber</i>	BAXI S.p.A. Via Trozzetti, 20, I-36061 Bassano del Grappa (VI)
Distributor <i>Vertreiber</i>	BAXI S.p.A. Via Trozzetti, 20, I-36061 Bassano del Grappa (VI)
Product Category <i>Produktart</i>	Boilers with flue systems: Condensing combi water heater (3204)
Product description <i>Produktbezeichnung</i>	Condensing combi water heater optional also as water heater
Model <i>Modell</i>	LUNA STYLE...; LUNA PLATINUM...; LUNA HYBRID ...
Type of Boiler <i>Heizkesseltyp</i>	condensing boiler
Test Reports <i>Prüfberichte</i>	Supplement test: 20-00237-AB03-033 from 14.06.2023 (EBI) Supplement test: 20-00237-AB02-033 from 24.04.2023 (EBI)
Test Basis <i>Prüfgrundlagen</i>	EU/92/42 (21.05.1992)
File Number <i>Aktenzeichen</i>	23-0178-GWR

70228-04-A-DE

28.06.2023 Pz A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der ZertifizierungsstelleDVGW CERT GmbH
ZertifizierungsstelleJosef-Wirmer-Str. 1-3
53123 BonnTel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993www.dvgw-cert.com
info@dvgw-cert.com

Type Typ	Technical Data Technische Daten	Energy Labelling Energieeffizienzkennzeichnung
LUNA STYLE(+) 1.12; LUNA PLATINUM 1.12	Nominal heat output: 2,0...12,0 kW Heat input (Hi): 2,1...12,4 (drinking water: ...12,4) kW	
LUNA STYLE(+) 1.24; LUNA PLATINUM 1.24	Nominal heat output: 2,4...24,0 kW Heat input (Hi): 2,5...24,7 (drinking water: ...24,7) kW	
LUNA STYLE(+) 1.35; LUNA PLATINUM 1.35	Nominal heat output: 3,4...32,0 kW Heat input (Hi): 3,5...33,0 (drinking water: ...34,9) kW	
LUNA STYLE(+) 24; LUNA PLATINUM 24	Nominal heat output: 2,4...20,0 kW Heat input (Hi): 2,5...20,6 (drinking water: ...24,7) kW	
LUNA STYLE(+) 30	Nominal heat output: 3,0...24,0 kW Heat input (Hi): 3,1...24,7 (drinking water: ...31,0) kW	
LUNA STYLE(+) 35; LUNA PLATINUM 35; LUNA HYBRID 35	Nominal heat output: 3,4...28,0 kW Heat input (Hi): 3,5...28,9 (drinking water: ...34,9) kW	
LUNA HYBRID 28	Nominal heat output: 2,8...24,0 kW Heat input (Hi): 2,9...24,7 (drinking water: ...28,9) kW	
LUNA HYBRID 30	Nominal heat output: 3,0...20,0 kW Heat input (Hi): 3,1...20,6 (drinking water: ...31,0) kW	

EU type examination certificate

EU-Baumusterprüfbescheinigung

CE-0085DL0336

Product Identification No.
Produkt-Identnummer

Field of Application <i>Anwendungsbereich</i>	EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i>
Owner of Certificate <i>Zertifikatinhaber</i>	BAXI S.p.A. Via Trozzetti, 20, I-36061 Bassano del Grappa (VI)
Distributor <i>Vertreiber</i>	BAXI S.p.A. Via Trozzetti, 20, I-36061 Bassano del Grappa (VI)
Product Category <i>Produktart</i>	Boilers with flue systems: Condensing combi water heater (3204)
Product description <i>Produktbezeichnung</i>	Condensing combi water heater optional also as water heater
Model <i>Modell</i>	LUNA STYLE...; LUNA PLATINUM...; LUNA HYBRID ...
Countries of Destination <i>Bestimmungsländer</i>	AL, AT, BE, BG, CH, CY, CZ, DE, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LU, LV, MK, NL, NO, PL, PT, RO, SE, SI, SK, TR
Test reports <i>Prüfberichte</i>	Supplement test: 20-00237-AB02-033 from 24.04.2023 (EBI) Supplement test: 20-00237-AB03-033 from 14.06.2023 (EBI)
Test basis <i>Prüfgrundlagen</i>	EU/2016/426 A III G (09.03.2016) DIN EN 15502-1 (01.02.2022) DIN EN 15502-2-1 (01.11.2022) DVGW CERT ZP 3100-20 (01.12.2022)
Date of Expiry / File No. <i>Ablaufdatum / AZ</i>	24.07.2030 / 23-0178-GER

28.06.2023 Pz A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH - notified by the government of the Federal Republic of Germany and officially registered by the European Commission for conformity assessment of gas appliances

DVGW CERT GmbH - von der Deutschen Bundesregierung benannte und von der Europäischen Kommission offiziell registrierte Stelle für die Konformitätsbewertung von Gasgeräten

DVGW CERT GmbH
ZertifizierungsstelleJosef-Wirmer-Str. 1-3
53123 BonnTel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993www.dvgw-cert.com
info@dvgw-cert.com

Elektrical Data
Elektrische Daten

230 V AC, 50 Hz, IPX5D

Appliance Categories <i>Geräte kategorien</i>	Supply Pressures <i>Versorgungsdrücke</i>	Countries of Destination <i>Bestimmungsländer</i>	Remarks <i>Bemerkungen</i>
I3B/P	30 mbar	CY	
I3B/P	37 mbar	BE	
II2E3B/P	20, 30 mbar	LU	
II2EK3B/P	20/25, 30 mbar	NL	
II2EK3P	20/25, 30 mbar	NL	
II2ELw3B/P	20, 37 mbar	PL	only for types ...1.35, ...30 and ...35
II2ELwLs3B/P	20,20,13, 37 mbar	PL	only for types ...1.12, ...1.24 and 24
II2Er3P	20/25, 37 mbar	FR	
II2H3B/P	20, 30 mbar	CH, CZ, EE, FI, GB, GR, HR, IE, IT, LT, LV, NO, RO, SE, SK, TR	
II2H3B/P	20, 50 mbar	AT	
II2H3P	20, 37 mbar	CH, CZ, EE, ES, FI, FR, GB, GR, HR, IE, IT, LT, LV, NO, PT, RO, SE, SI, SK, TR	
II2H3P	20, 50 mbar	AT	
II2HM3B/P	20, 30 mbar	IT	
II2HM3P	20, 37 mbar	IT	
II2HS3B/P	25, 30 mbar	HU	

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
LUNA STYLE(+) 1.12; LUNA PLATINUM 1.12	Nominal heat output: 2,0...12,0 kW Heat input (Hi): 2,1...12,4 (drinking water: ...12,4) kW	
LUNA STYLE(+) 1.24; LUNA PLATINUM 1.24	Nominal heat output: 2,4...24,0 kW Heat input (Hi): 2,5...24,7 (drinking water: ...24,7) kW	
LUNA STYLE(+) 1.35; LUNA PLATINUM 1.35	Nominal heat output: 3,4...32,0 kW Heat input (Hi): 3,5...33,0 (drinking water: ...34,9) kW	
LUNA STYLE(+) 24; LUNA PLATINUM 24	Nominal heat output: 2,4...20,0 kW Heat input (Hi): 2,5...20,6 (drinking water: ...24,7) kW	
LUNA STYLE(+) 30	Nominal heat output: 3,0...24,0 kW Heat input (Hi): 3,1...24,7 (drinking water: ...31,0) kW	
LUNA STYLE(+) 35; LUNA PLATINUM 35; LUNA HYBRID 35	Nominal heat output: 3,4...28,0 kW Heat input (Hi): 3,5...28,9 (drinking water: ...34,9) kW	
LUNA HYBRID 28	Nominal heat output: 2,8...24,0 kW Heat input (Hi): 2,9...24,7 (drinking water: ...28,9) kW	
LUNA HYBRID 30	Nominal heat output: 3,0...20,0 kW Heat input (Hi): 3,1...20,6 (drinking water: ...31,0) kW	

Hints of Utilization /Remarks
Verwendungshinweise / Bemerkungen

Additionally tested appliance categories, supply pressures and countries of destination:

AL, BG, ES, MK, PT: II2H3B/P (20, 30 mbar)

AL, BG, MK: II2H3P (20, 37 mbar)

DE: II2N3B/P (20, 50 mbar)

FR: II2Er3B/P (20/25, 37 mbar)

MK: I3B/P (30 mbar)

flue types B23, B23P, B33, C13(x), C33(x), C43(x), C43P, C83P, C53(x), C63(x), C83(x), C93(x), C(10)3(x), C(11)3(x), C(12)3(x), C(13)3(x), C(15)3(x): according to installation manual with flue systems of SIT (approval no. 0476-CPR-8045) and Gropall (approval no. 2592-CPR-0001)

In the non-EU countries the conformity approval will be accepted if the Gas Appliance Regulation EU/2016/426 is transferred into national law by this countries.

The recognition of the CE mark in the United Kingdom is currently limited to December 31st, 2024.

The boilers are qualified for the addition of up to 20 vol.-% hydrogen to natural gas (G20; G25.3) as burning gas according to DVGW CERT ZP 3100.

